

Data Path : Z:\HPCHEM1\HPLC_B\Data\HB010913\
 Data File : HB001017.D
 Signal(s) : DAD1A.CH
 Acq On : 09-Jan-2013, 15:38
 Operator : QM
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_B
 LabSampleId :
 HSTDCCC0500

Integration File: autoint1.e
 Quant Time: Feb 08 00:03:00 2013
 Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
 Quant Title :
 QLast Update : Wed Jan 09 14:12:24 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	690.658	646.665	6.4	99	0.05
2 T	HMX	811.870	805.935	0.7	103	0.03
3 T	RDX	628.379	619.424	1.4	99	0.07
4 T	1,3,5-Trinitrobenzene	1.449	1.381 E3	4.7	102	0.12
5 T	1,3-Dinitrobenzene	1.379	1.337 E3	3.0	98	0.16
6 T	Nitrobenzene	1.070	1.005 E3	6.1	98	0.22
7 T	Tetryl	1022.717	964.516	5.7	94	0.40
8 T	2,4,6-Trinitrotoluene	1.164	1.157 E3	0.6	97	0.38
9 T	2-Amino-4,6-dinitrotoluene	1.446	1.393 E3	3.7	94	0.41
10 T	4-Amino-2,6-dinitrotoluene	1094.498	1161.160	-6.1	92	0.46
11 T	2,4-Dinitrotoluene	1.368	1.379 E3	-0.8	93	0.46
12 T	2,6-Dinitrotoluene	926.934	863.871	6.8	80	0.52#
13 T	2-Nitrotoluene	788.945	827.658	-4.9	94	0.71#
14 T	4-Nitrotoluene	1.198	1.095 E3	8.6	93	0.77#
15 T	3-Nitrotoluene	1.036	1.053 E3	-1.6	99	0.86#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0