

Data Path : Z:\HPCHEM1\HPLC_B\Data\HB010913\
Data File : HB001017.D
Signal(s) : DAD1A.CH
Acq On : 09-Jan-2013, 15:38
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Feb 08 00:03:00 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Quant Title :
QLast Update : Wed Jan 09 14:12:24 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	468.152	6.4	99	0.05
2 T	HMX	500.000	496.344	0.7	103	0.03
3 T	RDX	500.000	492.875	1.4	99	0.07
4 T	1,3,5-Trinitrobenzene	500.000	476.720	4.7	102	0.12
5 T	1,3-Dinitrobenzene	500.000	484.768	3.0	98	0.16
6 T	Nitrobenzene	500.000	469.870	6.0	98	0.22
7 T	Tetryl	500.000	471.546	5.7	94	0.40
8 T	2,4,6-Trinitrotoluene	500.000	497.162	0.6	97	0.38
9 T	2-Amino-4,6-dinitrotoluene	500.000	481.907	3.6	94	0.41
10 T	4-Amino-2,6-dinitrotoluene	500.000	530.453	-6.1	92	0.46
11 T	2,4-Dinitrotoluene	500.000	504.323	-0.9	93	0.46
12 T	2,6-Dinitrotoluene	500.000	465.983	6.8	80	0.52#
13 T	2-Nitrotoluene	500.000	524.535	-4.9	94	0.71#
14 T	4-Nitrotoluene	500.000	457.179	8.6	93	0.77#
15 T	3-Nitrotoluene	500.000	507.900	-1.6	99	0.86#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0