

Data Path : Z:\HPCHEM1\HPLC_B\Data\HB010913\
 Data File : HB001026.D
 Signal(s) : DAD1A.CH
 Acq On : 09-Jan-2013, 19:13
 Operator : QM
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_B
 LabSampleId :
 HSTDCCC0500

Integration File: autoint1.e
 Quant Time: Feb 08 00:03:51 2013
 Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
 Quant Title :
 QLast Update : Wed Jan 09 15:08:06 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	690.658	623.052	9.8	96	0.03
2 T	HMX	811.870	864.673	-6.5	110	0.01
3 T	RDX	628.379	585.444	6.8	93	0.04
4 T	1,3,5-Trinitrobenzene	1.449	1.362 E3	6.0	100	0.06
5 T	1,3-Dinitrobenzene	1.379	1.332 E3	3.4	98	0.08
6 T	Nitrobenzene	1.070	0.989 E3	7.6	96	0.12
7 T	Tetryl	1022.717	946.703	7.4	92	0.21
8 T	2,4,6-Trinitrotoluene	1.164	1.091 E3	6.3	92	0.20
9 T	2-Amino-4,6-dinitrotoluene	1.446	1.364 E3	5.7	92	0.22
10 T	4-Amino-2,6-dinitrotoluene	1094.498	1120.456	-2.4	88	0.24
11 T	2,4-Dinitrotoluene	1.368	1.391 E3	-1.7	94	0.24
12 T	2,6-Dinitrotoluene	926.934	872.540	5.9	81	0.27
13 T	2-Nitrotoluene	788.945	820.730	-4.0	93	0.38
14 T	4-Nitrotoluene	1.198	1.044 E3	12.9	89	0.40
15 T	3-Nitrotoluene	1.036	1.026 E3	1.0	96	0.45

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0