

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB052913\HB001202.D Vial: 11
 Acq On : 29-May-2013, 19:24 Operator: QM
 Sample : HSTDCCC0500 Inst : G1315A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_B
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_B\METHOD\HB052913.M
 Title :
 Last Update : Thu May 30 15:39:05 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	558.194	470.912	15.6	112	0.01
2 T	HMX	250.103	244.101	2.4	105	0.02
3 T	RDX	235.911	197.116	16.4	101	0.03

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB052913\HB001202.D Vial: 11
 Acq On : 29-May-2013, 19:24 Operator: QM
 Sample : HSTDCCC0500 Inst : G1315A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_B
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_B\METHOD\HB052913.M
 Title :
 Last Update : Thu May 30 15:39:05 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------