

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB052913\HB001202.D Vial: 11
Acq On : 29-May-2013, 19:24 Operator: QM
Sample : HSTDCCC0500 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 30 16:08 2013 Quant Results File: HB052913.RES

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB052913.M
Title :
Last Update : Thu May 30 15:39:05 2013
Response via : Initial Calibration
DataAcq Meth : 8330BCON.M

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	5.05	235456	511.322 ug/L
Target Compounds			
2) T HMX	3.06	122051	488.003 ug/L
3) T RDX	6.06	98558	417.776 ug/L

Analyst Signature:_____ Analyst Name:_____ Date:_____

-----REASONS FOR MANUAL INTEGRATIONS-----

___Poor resolution of peaks exhibited on chromatogram.Compound #:_____

___Peak Integrated by software incorrectly.Compound #:_____

___OTHER:_____Compound #:_____

(f)=RT Delta > 1/2 Window (m)=manual int.

HB001202.D HB052913.M

Thu May 30 16:45:59 2013

RPT1


Quantitation Report


Data File : Z:\HPCHEM1\HPLC_B\DATA\HB052913\HB001202.D Vial: 11
Acq On : 29-May-2013, 19:24 Operator: QM
Sample : HSTDCCC0500 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: May 30 16:08 2013 Quant Results File: HB052913.RES

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB052913.M
Title :
Last Update : Thu May 30 15:39:05 2013
Response via : Multiple Level Calibration
DataAcq Meth : 8330BCON.M

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A






#1 4-Nitroaniline


R.T.: 5.051 min
Delta R.T.: 0.011 min
Response: 235456
Conc: 511.32 ug/L

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500



#2 HMX

R.T.: 3.057 min
Delta R.T.: 0.017 min
Response: 122051
Conc: 488.00 ug/L



#3 RDX

R.T.: 6.056 min
Delta R.T.: 0.026 min
Response: 98558
Conc: 417.78 ug/L