

Data File : H:\VOL1\HPLC\HPLC L\130103\HL003997.D Vial: 13
 Acq On : 03-Jan-2013, 21:10 Operator: HLM
 Sample : 8330-ICV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Jan 4 13:30 2013 Quant Results File: HL010313.RES

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL010313

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL010313.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri Jan 04 13:29:03 2013
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

Target Compounds

2) T	HMX	0.92	4057332	944.142	ug/L
3) T	RDX	1.77	5427757	1021.953	ug/L
4) T	1,3,5-Trinitrobenzene	2.76	12077686	1024.408	ug/L
5) T	Tetryl	6.32	8514513	1027.967	ug/L
6) T	2,4,6-Trinitrotoluene	6.68	11841503	1062.060	ug/L
7) T	2-Amino-4,6-dinitrotoluene	7.17	10727477	1018.122	ug/L
8) T	4-Amino-2,6-dinitrotoluene	7.51	7521509	1033.764	ug/L
9) T	2,4-Dinitrotoluene	8.34	14854482	966.673	ug/L
10) T	2,6-Dinitrotoluene	8.73	8525673	1007.296	ug/L
11) T	1,3-Dinitrobenzene	3.67	16276998	985.922	ug/L
12) T	Nitrobenzene	4.92	10234622	944.696	ug/L
13) T	2-Nitrotoluene	12.03	6676680	1004.224	ug/L
14) T	3-Nitrotoluene	14.10	7102358	1005.251	ug/L
15) T	4-Nitrotoluene	12.81	5651479	1010.894	ug/L
16) T	3,5-Dinitroaniline	4.01	13345286	831.601	ug/L
18) T	PETN	19.29	8675691	958.278	ug/L

Data File : H:\VOL1\HPLC\HPLC L\130103\HL003997.D

Vial: 13

Acq On : 03-Jan-2013, 21:10

Operator: HLM

Sample : 8330-ICV

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Jan 4 13:30 2013 Quant Results File: HL010313.RES

Instrument :

HPLC_L

ClientSampleId :

ICVHL010313

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL010313.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Fri Jan 04 13:29:03 2013


Response via : Multiple Level Calibration


DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :

Signal Info :






#2 HMX


R.T.: 0.921 min
Delta R.T.: 0.002 min
Response: 4057332
Conc: 944.14 ug/L

Instrument :
HPLC_L
ClientSampleId :
ICVHL010313




#3 RDX

R.T.: 1.773 min
Delta R.T.: 0.001 min
Response: 5427757
Conc: 1021.95 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.763 min
Delta R.T.: 0.002 min
Response: 12077686
Conc: 1024.41 ug/L



#5 Tetryl


R.T.: 6.320 min
Delta R.T.: 0.004 min
Response: 8514513
Conc: 1027.97 ug/L



#6 2,4,6-Trinitrotoluene


R.T.: 6.677 min
Delta R.T.: 0.005 min
Response: 11841503
Conc: 1062.06 ug/L

Instrument :
HPLC_L
ClientSampleId :
ICVHL010313




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.169 min
Delta R.T.: 0.002 min
Response: 10727477
Conc: 1018.12 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.505 min
Delta R.T.: 0.000 min
Response: 7521509
Conc: 1033.76 ug/L



#9 2,4-Dinitrotoluene


R.T.: 8.341 min
Delta R.T.: 0.004 min
Response: 14854482
Conc: 966.67 ug/L



#10 2,6-Dinitrotoluene


R.T.: 8.731 min
Delta R.T.: 0.005 min
Response: 8525673
Conc: 1007.30 ug/L

Instrument :
HPLC_L
ClientSampleId :
ICVHL010313




#11 1,3-Dinitrobenzene

R.T.: 3.666 min
Delta R.T.: 0.001 min
Response: 16276998
Conc: 985.92 ug/L




#12 Nitrobenzene

R.T.: 4.924 min
Delta R.T.: 0.003 min
Response: 10234622
Conc: 944.70 ug/L



#13 2-Nitrotoluene


R.T.: 12.031 min
Delta R.T.: 0.000 min
Response: 6676680
Conc: 1004.22 ug/L



#14 3-Nitrotoluene


R.T.: 14.096 min
Delta R.T.: 0.001 min
Response: 7102358
Conc: 1005.25 ug/L

Instrument :
HPLC_L
ClientSampleId :
ICVHL010313




#15 4-Nitrotoluene

R.T.: 12.806 min
Delta R.T.: 0.002 min
Response: 5651479
Conc: 1010.89 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.014 min
Delta R.T.: -0.002 min
Response: 13345286
Conc: 831.60 ug/L



#18 PETN

R.T.: 19.287 min
Delta R.T.: -0.010 min
Response: 8675691
Conc: 958.28 ug/L