

Data File : H:\VOL1\HPLC\HPLC_L\130103\HL004013.D Vial: 10
Acq On : 04-Jan-2013, 04:21 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Instrument :
HPLC_L
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL010313.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Fri Jan 04 17:48:54 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.334	57.364	-0.1	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\130103\HL004013.D
 Acq On : 04-Jan-2013, 04:21
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 10
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL010313.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri Jan 04 17:48:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.596	0.000 E3	100.0#	0#	-1.37#
2 T	HMX	4.297	0.000 E3	100.0#	0#	-0.92#
3 T	RDX	5.311	0.000 E3	100.0#	0#	-1.77#
4 T	1,3,5-Trinitrobenzene	11.790	0.000 E3	100.0#	0#	-2.76#
5 T	Tetryl	8.283	0.000 E3	100.0#	0#	-6.32#
6 T	2,4,6-Trinitrotoluene	11.150	0.000 E3	100.0#	0#	-6.68#
7 T	2-Amino-4,6-dinitrotoluene	10.537	0.000 E3	100.0#	0#	-7.17#
8 T	4-Amino-2,6-dinitrotoluene	7.276	0.000 E3	100.0#	0#	-7.50#
9 T	2,4-Dinitrotoluene	15.367	0.000 E3	100.0#	0#	-8.34#
10 T	2,6-Dinitrotoluene	8.464	0.000 E3	100.0#	0#	-8.73#
11 T	1,3-Dinitrobenzene	16.509	0.000 E3	100.0#	0#	-3.67#
12 T	Nitrobenzene	10.834	0.000 E3	100.0#	0#	-4.93#
13 T	2-Nitrotoluene	6.649	0.000 E3	100.0#	0#	-12.03#
14 T	3-Nitrotoluene	7.065	0.000 E3	100.0#	0#	-14.10#
15 T	4-Nitrotoluene	5.591	0.000 E3	100.0#	0#	-12.81#
16 T	3,5-Dinitroaniline	16.048	0.000 E3	100.0#	0#	-4.02#
18 T	PETN	9.053	0.000 E3	100.0#	0#	-19.29#