

Data File : H:\VOL1\HPLC\HPLC L\130104\HL004051.D
 Acq On : 04-Jan-2013, 19:59
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 5
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL010313.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri Jan 04 13:26:48 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.596	3.783 E3	-5.2	0#	0.00
2 T	HMX	4.297	4.148 E3	3.5	0#	0.00
3 T	RDX	5.311	5.570 E3	-4.9	0#	0.00
4 T	1,3,5-Trinitrobenzene	11.790	12.453 E3	-5.6	0#	0.00
5 T	Tetryl	8.283	8.266 E3	0.2	0#	-0.02
6 T	2,4,6-Trinitrotoluene	11.150	11.401 E3	-2.3	0#	-0.02
7 T	2-Amino-4,6-dinitrotoluene	10.537	10.698 E3	-1.5	0#	-0.02
8 T	4-Amino-2,6-dinitrotoluene	7.276	7.525 E3	-3.4	0#	-0.02
9 T	2,4-Dinitrotoluene	15.367	15.128 E3	1.6	0#	-0.02
10 T	2,6-Dinitrotoluene	8.464	8.791 E3	-3.9	0#	-0.02
11 T	1,3-Dinitrobenzene	16.509	16.367 E3	0.9	0#	-0.01
12 T	Nitrobenzene	10.834	10.492 E3	3.2	0#	-0.01
13 T	2-Nitrotoluene	6.649	6.445 E3	3.1	0#	-0.03
14 T	3-Nitrotoluene	7.065	7.018 E3	0.7	0#	-0.04
15 T	4-Nitrotoluene	5.591	5.478 E3	2.0	0#	-0.03
16 T	3,5-Dinitroaniline	16.048	15.813 E3	1.5	0#	-0.01
18 T	PETN	9.053	9.155 E3	-1.1	0#	-0.06

Data File : H:\VOL1\HPLC\HPLC_L\130104\HL004051.D
Acq On : 04-Jan-2013, 19:59
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 5
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL010313.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Fri Jan 04 13:26:48 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.334	0.000	100.0#	0#	-6.27#