

Data Path : S:\HPCHEM1\HPLC_L\Data\HL010413\
 Data File : HL004059.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Jan-2013, 23:36
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 HPLC_L
 LabSampleId :
 8330-CCV

Integration File: events.e
 Quant Time: Jan 08 01:27:29 2013
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL010313.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Jan 07 10:33:38 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	1000.000	1055.463	-5.5	0	0.00
2 T	HMX	1000.000	964.023	3.6	0	0.00
3 T	RDX	1000.000	1036.976	-3.7	0	0.00
4 T	1,3,5-Trinitrobenzene	500.000	525.617	-5.1	0	0.00
5 T	Tetryl	1000.000	998.236	0.2	0	-0.01
6 T	2,4,6-Trinitrotoluene	500.000	514.606	-2.9	0	-0.01
7 T	2-Amino-4,6-dinitrotoluene	500.000	509.784	-2.0	0	-0.01
8 T	4-Amino-2,6-dinitrotoluene	500.000	515.983	-3.2	0	-0.01
9 T	2,4-Dinitrotoluene	500.000	492.723	1.5	0	-0.01
10 T	2,6-Dinitrotoluene	500.000	512.224	-2.4	0	-0.02
11 T	1,3-Dinitrobenzene	500.000	494.757	1.0	0	0.00
12 T	Nitrobenzene	500.000	485.574	2.9	0	0.00
13 T	2-Nitrotoluene	1000.000	963.510	3.6	0	-0.02
14 T	3-Nitrotoluene	1000.000	991.877	0.8	0	-0.02
15 T	4-Nitrotoluene	1000.000	984.720	1.5	0	-0.01
16 T	3,5-Dinitroaniline	1000.000	986.230	1.4	0	0.00
18 T	PETN	2500.000	2488.079	0.5	0	-0.05

Evaluate Continuing Calibration Report - Not Found

17 T	Nitroglycerin	10000.000	0.000	100.0#	0	-6.23#
------	---------------	-----------	-------	--------	---	--------

(#) = Out of Range

SPCC's out = 0 CCC's out = 0