

Data Path : S:\HPCHEM1\HPLC_L\Data\HL010413\
 Data File : HL004060.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Jan-2013, 00:03
 Operator : HLM
 Sample : 8330NG-CCV
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 HPLC_L
 LabSampleId :
 8330NG-CCV

Integration File: events.e
 Quant Time: Jan 08 01:27:35 2013
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL010313.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Jan 07 10:33:38 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
17 T	Nitroglycerin	10000.000	10155.328	-1.6	0	0.05

Evaluate Continuing Calibration Report - Not Found

1 S	4-Nitroaniline	1000.000	0.000	100.0#	0	-1.38#
2 T	HMX	1000.000	0.000	100.0#	0	-0.93#
3 T	RDX	1000.000	0.000	100.0#	0	-1.79#
4 T	1,3,5-Trinitrobenzene	500.000	0.000	100.0#	0	-2.79#
5 T	Tetryl	1000.000	0.000	100.0#	0	-6.40#
6 T	2,4,6-Trinitrotoluene	500.000	0.000	100.0#	0	-6.76#
7 T	2-Amino-4,6-dinitrotoluene	500.000	0.000	100.0#	0	-7.26#
8 T	4-Amino-2,6-dinitrotoluene	500.000	0.000	100.0#	0	-7.60#
9 T	2,4-Dinitrotoluene	500.000	0.000	100.0#	0	-8.45#
10 T	2,6-Dinitrotoluene	500.000	0.000	100.0#	0	-8.84#
11 T	1,3-Dinitrobenzene	500.000	0.000	100.0#	0	-3.70#
12 T	Nitrobenzene	500.000	0.000	100.0#	0	-4.98#
13 T	2-Nitrotoluene	1000.000	0.000	100.0#	0	-12.20#
14 T	3-Nitrotoluene	1000.000	0.000	100.0#	0	-14.30#
15 T	4-Nitrotoluene	1000.000	0.000	100.0#	0	-12.99#
16 T	3,5-Dinitroaniline	1000.000	0.000	100.0#	0	-4.06#
18 T	PETN	2500.000	0.000	100.0#	0	-19.56#

(#) = Out of Range

SPCC's out = 0 CCC's out = 0