

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL020613\
Data File : HL005008.D
Signal(s) : VWD1A.CH
Acq On : 06-Feb-2013, 14:32
Operator : QM
Sample : HSTDICV0500
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 08 07:24:01 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL020613.M
Quant Title :
QLast Update : Thu Feb 07 11:25:51 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	3.830	4.218 E3	-10.1	115	0.00
2 T	HMX	4.170	4.027 E3	3.4	96	0.00
3 T	RDX	4.780	4.736 E3	0.9	96	0.00
4 T	1,3,5-Trinitrobenzene	10.484	10.079 E3	3.9	96	0.00
5 T	1,3-Dinitrobenzene	15.332	15.301 E3	0.2	97	0.00
6 T	Nitrobenzene	9.526	9.604 E3	-0.8	97	0.00
7 T	Tetryl	6.529	5.800 E3	11.2	89	0.00
8 T	2,4,6-Trinitrotoluene	11.100	10.626 E3	4.3	95	0.00
9 T	2-Amino-4,6-dinitrotoluene	10.982	10.389 E3	5.4	97	0.00
10 T	4-Amino-2,6-dinitrotoluene	6.351	6.429 E3	-1.2	95	0.00
11 T	2,4-Dinitrotoluene	14.727	14.403 E3	2.2	97	0.00
12 T	2,6-Dinitrotoluene	7.488	7.345 E3	1.9	94	0.00
13 T	2-Nitrotoluene	6.852	6.283 E3	8.3	96	0.00
14 T	4-Nitrotoluene	5.555	5.034 E3	9.4	90	0.00
15 T	3-Nitrotoluene	6.707	6.357 E3	5.2	92	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0