

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL020613\
 Data File : HL005009.D
 Signal(s) : VWD1A.CH
 Acq On : 06-Feb-2013, 14:59
 Operator : QM
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 08 07:46:17 2013
 Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL020613.M
 Quant Title :
 QLast Update : Thu Feb 07 11:25:51 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	3.830	3.713 E3	3.1	101	0.00
2 T	HMX	4.170	4.166 E3	0.1	100	0.00
3 T	RDX	4.780	4.959 E3	-3.7	101	0.00
4 T	1,3,5-Trinitrobenzene	10.484	10.384 E3	1.0	99	0.00
5 T	1,3-Dinitrobenzene	15.332	15.725 E3	-2.6	100	0.00
6 T	Nitrobenzene	9.526	9.814 E3	-3.0	99	0.00
7 T	Tetryl	6.529	6.571 E3	-0.6	101	0.00
8 T	2,4,6-Trinitrotoluene	11.100	11.008 E3	0.8	98	0.00
9 T	2-Amino-4,6-dinitrotoluene	10.982	10.767 E3	2.0	101	0.00
10 T	4-Amino-2,6-dinitrotoluene	6.351	6.847 E3	-7.8	101	0.00
11 T	2,4-Dinitrotoluene	14.727	14.766 E3	-0.3	100	0.00
12 T	2,6-Dinitrotoluene	7.488	7.871 E3	-5.1	100	0.00
13 T	2-Nitrotoluene	6.852	6.633 E3	3.2	101	0.00
14 T	4-Nitrotoluene	5.555	5.255 E3	5.4	94	0.00
15 T	3-Nitrotoluene	6.707	7.012 E3	-4.5	101	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0