

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL020613\
Data File : HL005009.D
Signal(s) : VWD1A.CH
Acq On : 06-Feb-2013, 14:59
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 08 07:46:17 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL020613.M
Quant Title :
QLast Update : Thu Feb 07 11:25:51 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	484.652	3.1	101	0.00
2 T	HMX	500.000	499.564	0.1	100	0.00
3 T	RDX	500.000	518.670	-3.7	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	495.252	0.9	99	0.00
5 T	1,3-Dinitrobenzene	500.000	512.813	-2.6	100	0.00
6 T	Nitrobenzene	500.000	515.118	-3.0	99	0.00
7 T	Tetryl	500.000	503.247	-0.6	101	0.00
8 T	2,4,6-Trinitrotoluene	500.000	495.840	0.8	98	0.00
9 T	2-Amino-4,6-dinitrotoluene	500.000	490.208	2.0	101	0.00
10 T	4-Amino-2,6-dinitrotoluene	500.000	539.056	-7.8	101	0.00
11 T	2,4-Dinitrotoluene	500.000	501.322	-0.3	100	0.00
12 T	2,6-Dinitrotoluene	500.000	525.597	-5.1	100	0.00
13 T	2-Nitrotoluene	500.000	484.005	3.2	101	0.00
14 T	4-Nitrotoluene	500.000	472.982	5.4	94	0.00
15 T	3-Nitrotoluene	500.000	522.761	-4.6	101	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0