

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL020613\
Data File : HL005020.D
Signal(s) : VWD1A.CH
Acq On : 06-Feb-2013, 19:55
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 08 07:47:19 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL020613.M
Quant Title :
QLast Update : Thu Feb 07 11:25:51 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	442.728	11.5	92	0.00
2 T	HMX	500.000	478.902	4.2	96	0.00
3 T	RDX	500.000	518.884	-3.8	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	491.336	1.7	98	0.00
5 T	1,3-Dinitrobenzene	500.000	513.469	-2.7	100	0.00
6 T	Nitrobenzene	500.000	514.948	-3.0	99	0.00
7 T	Tetryl	500.000	486.622	2.7	97	0.02
8 T	2,4,6-Trinitrotoluene	500.000	493.882	1.2	98	0.00
9 T	2-Amino-4,6-dinitrotoluene	500.000	498.982	0.2	103	0.02
10 T	4-Amino-2,6-dinitrotoluene	500.000	515.119	-3.0	96	0.03
11 T	2,4-Dinitrotoluene	500.000	499.182	0.2	99	0.00
12 T	2,6-Dinitrotoluene	500.000	525.338	-5.1	100	0.00
13 T	2-Nitrotoluene	500.000	481.694	3.7	101	0.01
14 T	4-Nitrotoluene	500.000	482.417	3.5	96	0.01
15 T	3-Nitrotoluene	500.000	517.938	-3.6	100	0.00

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0