

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL020613\
 Data File : HL005029.D
 Signal(s) : VWD1A.CH
 Acq On : 06-Feb-2013, 23:57
 Operator : QM
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 08 07:48:10 2013
 Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL020613.M
 Quant Title :
 QLast Update : Thu Feb 07 11:25:51 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	3.830	3.308 E3	13.6	90	0.00
2 T	HMX	4.170	3.948 E3	5.3	95	0.00
3 T	RDX	4.780	4.963 E3	-3.8	101	0.00
4 T	1,3,5-Trinitrobenzene	10.484	10.349 E3	1.3	99	0.00
5 T	1,3-Dinitrobenzene	15.332	15.766 E3	-2.8	100	0.00
6 T	Nitrobenzene	9.526	9.939 E3	-4.3	101	0.00
7 T	Tetryl	6.529	5.796 E3	11.2	89	0.04
8 T	2,4,6-Trinitrotoluene	11.100	11.156 E3	-0.5	100	0.02
9 T	2-Amino-4,6-dinitrotoluene	10.982	10.674 E3	2.8	100	0.04
10 T	4-Amino-2,6-dinitrotoluene	6.351	6.992 E3	-10.1	103	0.04
11 T	2,4-Dinitrotoluene	14.727	14.780 E3	-0.4	100	0.03
12 T	2,6-Dinitrotoluene	7.488	7.823 E3	-4.5	100	0.03
13 T	2-Nitrotoluene	6.852	6.559 E3	4.3	100	0.04
14 T	4-Nitrotoluene	5.555	5.381 E3	3.1	96	0.04
15 T	3-Nitrotoluene	6.707	7.078 E3	-5.5	102	0.04

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0