

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL032013.M
 Title :
 Last Update : Mon Mar 11 14:17:48 2013
 Response Via : Initial Calibration

Calibration Files

5000 =HL005150.D 2000 =HL005151.D 1000 =HL005152.D
 500 =HL005153.D 100 =HL005154.D 20 =HL005155.D

	Compound	5000	2000	1000	500	100	20	Avg		%RSD
1) S	4-Nitroaniline	4.370	4.467	4.164	4.731	4.191	4.776	4.450	E3	5.87
2) T	HMX	4.473	4.400	4.629	4.777	4.345	5.468	4.682	E3	8.89
3) T	RDX	5.513	5.470	5.542	5.632	5.360	4.500	5.336	E3	7.86
4) T	1,3,5-Trinitr...	1.193	1.164	1.192	1.206	1.171	1.123	1.175	E4	2.50
5) T	3,5-Dinitroan...	1.701	1.670	1.709	1.704	1.681	1.642	1.685	E4	1.52
6) T	1,3-Dinitrobe...	1.382	1.387	1.424	1.419	1.403	1.476	1.415	E4	2.41
7) T	Nitrobenzene	1.048	1.037	1.065	1.059	1.069	1.040	1.053	E4	1.28
8) T	Tetryl	7.680	7.411	7.574	7.935	7.510	8.213	7.720	E3	3.89
9) T	2,4,6-Trinitr...	1.228	1.157	1.179	1.189	1.171	1.312	1.206	E4	4.75
10) T	2-Amino-4,6-d...	1.364	1.190	1.175	1.177	1.170	1.269	1.224	E4	6.35
11) T	4-Amino-2,6-d...	4.614	6.105	6.756	7.096	7.118	7.384	6.512	E3	15.81
12) T	2,4-Dinitroto...	1.674	1.582	1.616	1.624	1.614	1.655	1.628	E4	2.00
13) T	2,6-Dinitroto...	7.537	8.009	8.338	8.544	8.396	8.612	8.239	E3	4.89
14) T	2-Nitrotoluene	6.980	6.871	7.086	7.343	6.866	7.082	7.038	E3	2.53
15) T	4-Nitrotoluene	5.767	5.659	5.812	6.180	5.736	5.373	5.754	E3	4.53
16) T	3-Nitrotoluene	7.517	7.364	7.539	7.955	7.674	7.759	7.635	E3	2.72
17) T	PETN	9.201	9.066	9.244	9.390	9.865	9.042	9.302	E3	3.27

(#) = Out of Range