

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL032213\
Data File : HL005177.D
Signal(s) : VWD1A.CH
Acq On : 22-Mar-2013, 16:50
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Mar 26 03:56:26 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL032013.M
Quant Title :
QLast Update : Wed Mar 20 17:38:00 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	489.954	2.0	92	0.00
2 T	HMX	500.000	450.975	9.8	88	0.00
3 T	RDX	500.000	528.886	-5.8	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	503.316	-0.7	98	0.00
5 T	3,5-Dinitroaniline	500.000	495.137	1.0	98	0.00
6 T	1,3-Dinitrobenzene	500.000	490.480	1.9	98	-0.03
7 T	Nitrobenzene	500.000	551.433	-10.3	110	0.00
8 T	Tetryl	500.000	521.327	-4.3	101	0.00
9 T	2,4,6-Trinitrotoluene	500.000	494.903	1.0	100	0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	467.731	6.5	97	-0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	538.045	-7.6	99	-0.02
12 T	2,4-Dinitrotoluene	500.000	492.308	1.5	99	0.00
13 T	2,6-Dinitrotoluene	500.000	513.605	-2.7	99	0.02
14 T	2-Nitrotoluene	500.000	513.728	-2.7	98	0.05
15 T	4-Nitrotoluene	500.000	520.382	-4.1	97	0.07
16 T	3-Nitrotoluene	500.000	500.719	-0.1	96	0.06
17 T	PETN	500.000	565.810	-13.2	112	0.07

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0