

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002436.D Vial: 78
 Acq On : 29-Mar-2012, 14:09 Operator: HLM
 Sample : 8330-ICV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Mar 29 15:16 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :


Compound	R.T.	Response	Conc Units


System Monitoring Compounds			
Target Compounds			
2) T HMX	0.93	4259375	971.481 ug/L
3) T RDX	1.78	5735648	1051.481 ug/L
4) T 1,3,5-Trinitrobenzene	2.78	12823846	1007.406 ug/L
5) T Tetrvl	6.32	9710986	1073.077 ug/L
6) T 2,4,6-Trinitrotoluene	6.68	12637976	1062.427 ug/L
7) T 2-Amino-4,6-dinitrotoluene	7.19	11467716	1022.455 ug/L
8) T 4-Amino-2,6-dinitrotoluene	7.53	7877786	1021.189 ug/L
9) T 2,4-Dinitrotoluene	8.37	15929327	938.556 ug/L
10) T 2,6-Dinitrotoluene	8.76	8787321	991.241 ug/L
11) T 1,3-Dinitrobenzene	3.69	17604714	979.993 ug/L
12) T Nitrobenzene	4.96	10422158	989.042 ug/L
13) T 2-Nitrotoluene	12.08	6852255	983.875 ug/L
14) T 3-Nitrotoluene	14.16	7297645	1020.707 ug/L
15) T 4-Nitrotoluene	12.86	5836755	1013.040 ug/L
16) T 3,5-Dinitroaniline	4.03	14411685	858.045 ug/L
18) T PETN	19.11	9372121	946.470 ug/L

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002436.D Vial: 78
Acq On : 29-Mar-2012, 14:09 Operator: HLM
Sample : 8330-ICV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Mar 29 15:16 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330AGIP.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 0.928 min
Delta R.T.: 0.001 min
Response: 4259375
Conc: 971.48 ug/L




#3 RDX

R.T.: 1.783 min
Delta R.T.: 0.000 min
Response: 5735648
Conc: 1051.48 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.777 min
Delta R.T.: 0.002 min
Response: 12823846
Conc: 1007.41 ug/L




#5 Tetryl

R.T.: 6.317 min
Delta R.T.: 0.003 min
Response: 9710986
Conc: 1073.08 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.685 min
Delta R.T.: 0.003 min
Response: 12637976
Conc: 1062.43 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.186 min
Delta R.T.: 0.001 min
Response: 11467716
Conc: 1022.46 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.525 min
Delta R.T.: 0.004 min
Response: 7877786
Conc: 1021.19 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.372 min
Delta R.T.: 0.002 min
Response: 15929327
Conc: 938.56 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.761 min
Delta R.T.: 0.004 min
Response: 8787321
Conc: 991.24 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.690 min
Delta R.T.: 0.002 min
Response: 17604714
Conc: 979.99 ug/L




#12 Nitrobenzene

R.T.: 4.959 min
Delta R.T.: 0.002 min
Response: 10422158
Conc: 989.04 ug/L




#13 2-Nitrotoluene


R.T.: 12.084 min
Delta R.T.: 0.000 min
Response: 6852255
Conc: 983.88 ug/L




#14 3-Nitrotoluene
 R.T.: 14.156 min
 Delta R.T.: 0.000 min
 Response: 7297645
 Conc: 1020.71 ug/L



#15 4-Nitrotoluene
 R.T.: 12.858 min
 Delta R.T.: 0.000 min
 Response: 5836755
 Conc: 1013.04 ug/L



#16 3,5-Dinitroaniline
 R.T.: 4.034 min
 Delta R.T.: -0.001 min
 Response: 14411685
 Conc: 858.04 ug/L



#18 PETN
 R.T.: 19.106 min
 Delta R.T.: 0.000 min
 Response: 9372121
 Conc: 946.47 ug/L