

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002432.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 12:17
 Operator : HLM
 Sample : 8330-3
 Misc :
 ALS Vial : 74 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:09:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.385	1951705	516.172 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 172.06%#
Target Compounds			
2) T HMX	0.925	2051046	518.976 ug/L
3) T RDX	1.781	2757973	523.254 ug/L
4) T 1,3,5-Trinitrobenzene	2.774	3035683	249.032 ug/L
5) T Tetryl	6.315	4396562	506.554 ug/L
6) T 2,4,6-Trinitrotoluene	6.684	2863767	253.845 ug/L
7) T 2-Amino-4,6-dinitroto...	7.185	2798239	259.190 ug/L
8) T 4-Amino-2,6-dinitroto...	7.522	1794305	237.490 ug/L
9) T 2,4-Dinitrotoluene	8.370	3986629	244.884 ug/L
10) T 2,6-Dinitrotoluene	8.759	2128627	240.461 ug/L
11) T 1,3-Dinitrobenzene	3.688	4237731	251.419 ug/L
12) T Nitrobenzene	4.958	2611335	243.633 ug/L
13) T 2-Nitrotoluene	12.087	3378487	492.605 ug/L
14) T 3-Nitrotoluene	14.157	3633817	498.938 ug/L
15) T 4-Nitrotoluene	12.857	2834086	506.221 ug/L
16) T 3,5-Dinitroaniline	4.034	8069082	501.426 ug/L
18) T PETN	19.112	11275576	1183.919 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002432.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 12:17
Operator : HLM
Sample : 8330-3
Misc :
ALS Vial : 74 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:09:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Feb 28 14:18:34 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

