

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002433.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 12:45
 Operator : HLM
 Sample : 8330-4
 Misc :
 ALS Vial : 75 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:09:42 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.387	3991948	1055.760 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 351.92%#
Target Compounds			
2) T HMX	0.927	4193277	1061.025 ug/L
3) T RDX	1.782	5709498	1083.229 ug/L
4) T 1,3,5-Trinitrobenzene	2.775	6179903	506.968 ug/L
5) T Tetryl	6.314	8918597	1027.563 ug/L
6) T 2,4,6-Trinitrotoluene	6.682	5882247	521.404 ug/L
7) T 2-Amino-4,6-dinitroto...	7.185	5753440	532.920 ug/L
8) T 4-Amino-2,6-dinitroto...	7.521	3704977	490.381 ug/L
9) T 2,4-Dinitrotoluene	8.369	8062735	495.264 ug/L
10) T 2,6-Dinitrotoluene	8.757	4325887	488.674 ug/L
11) T 1,3-Dinitrobenzene	3.688	8686397	515.352 ug/L
12) T Nitrobenzene	4.957	5344100	498.596 ug/L
13) T 2-Nitrotoluene	12.084	6894197	1005.217 ug/L
14) T 3-Nitrotoluene	14.156	7343670	1008.316 ug/L
15) T 4-Nitrotoluene	12.858	5799305	1035.865 ug/L
16) T 3,5-Dinitroaniline	4.035	17140636	1065.148 ug/L
18) T PETN	19.106	22858173	2400.075 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002433.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 12:45
Operator : HLM
Sample : 8330-4
Misc :
ALS Vial : 75 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:09:42 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Feb 28 14:18:34 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

