

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002434.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 13:13
 Operator : HLM
 Sample : 8330-5
 Misc :
 ALS Vial : 76 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 05 06:49:34 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.387	8164731	2159.346 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 719.78%#
Target Compounds			
2) T HMX	0.927	8483454	2146.569 ug/L
3) T RDX	1.782	11439323	2170.315 ug/L
4) T 1,3,5-Trinitrobenzene	2.776	12321388	1010.785 ug/L
5) T Tetryl	6.317	18084920	2083.669 ug/L
6) T 2,4,6-Trinitrotoluene	6.685	11746190	1041.185 ug/L
7) T 2-Amino-4,6-dinitroto...	7.187	11506305	1065.786 ug/L
8) T 4-Amino-2,6-dinitroto...	7.524	7577178	1002.895 ug/L
9) T 2,4-Dinitrotoluene	8.372	16223589	996.555 ug/L
10) T 2,6-Dinitrotoluene	8.761	8698214	982.594 ug/L
11) T 1,3-Dinitrobenzene	3.689	17392685	1031.884 ug/L
12) T Nitrobenzene	4.959	10583080	987.385 ug/L
13) T 2-Nitrotoluene	12.084	13694891	1996.801 ug/L
14) T 3-Nitrotoluene	14.155	14591429	2003.462 ug/L
15) T 4-Nitrotoluene	12.857	11556428	2064.196 ug/L
16) T 3,5-Dinitroaniline	4.036	33539173	2084.180 ug/L
18) T PETN	19.109	46201518	4851.093 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002434.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 13:13
Operator : HLM
Sample : 8330-5
Misc :
ALS Vial : 76 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 05 06:49:34 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Feb 28 14:18:34 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

