

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002438.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 17:04
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:10:10 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Mar 30 12:16:16 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.397	3862917	1014.247 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 338.08%#
Target Compounds			
2) T HMX	0.933	4046542	922.938 ug/L
3) T RDX	1.795	5547961	1017.073 ug/L
4) T 1,3,5-Trinitrobenzene	2.794	5969355	468.936 ug/L
5) T Tetryl	6.364	8717064	963.248 ug/L
6) T 2,4,6-Trinitrotoluene	6.734	5705009	479.598 ug/L
7) T 2-Amino-4,6-dinitroto...	7.240	5602659	499.530 ug/L
8) T 4-Amino-2,6-dinitroto...	7.581	3617481	468.930 ug/L
9) T 2,4-Dinitrotoluene	8.435	7858769	463.039 ug/L
10) T 2,6-Dinitrotoluene	8.828	4205852	474.435 ug/L
11) T 1,3-Dinitrobenzene	3.713	8418698	468.640 ug/L
12) T Nitrobenzene	4.992	5347161	507.435 ug/L
13) T 2-Nitrotoluene	12.181	6673194	958.165 ug/L
14) T 3-Nitrotoluene	14.267	7178327	1004.019 ug/L
15) T 4-Nitrotoluene	12.965	5545282	962.451 ug/L
16) T 3,5-Dinitroaniline	4.062	16722447	995.623 ug/L
18) T PETN	19.268	22380693	2260.178 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002438.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 17:04
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:10:10 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Mar 30 12:16:16 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

