

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002452.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 23:07
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:10:57 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Mar 30 12:16:16 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.392	3866390	1015.159 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 338.39%#
Target Compounds			
2) T HMX	0.928	4047118	923.070 ug/L
3) T RDX	1.788	5547942	1017.070 ug/L
4) T 1,3,5-Trinitrobenzene	2.785	5961885	468.349 ug/L
5) T Tetryl	6.343	8695923	960.912 ug/L
6) T 2,4,6-Trinitrotoluene	6.711	5713048	480.274 ug/L
7) T 2-Amino-4,6-dinitroto...	7.216	5618428	500.936 ug/L
8) T 4-Amino-2,6-dinitroto...	7.557	3642342	472.153 ug/L
9) T 2,4-Dinitrotoluene	8.407	7880005	464.290 ug/L
10) T 2,6-Dinitrotoluene	8.797	4242188	478.534 ug/L
11) T 1,3-Dinitrobenzene	3.702	8423336	468.898 ug/L
12) T Nitrobenzene	4.977	5328601	505.673 ug/L
13) T 2-Nitrotoluene	12.146	6742180	968.070 ug/L
14) T 3-Nitrotoluene	14.231	7223909	1010.394 ug/L
15) T 4-Nitrotoluene	12.927	5634314	977.904 ug/L
16) T 3,5-Dinitroaniline	4.051	16716268	995.256 ug/L
18) T PETN	19.215	22311993	2253.241 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002452.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 23:07
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:10:57 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Mar 30 12:16:16 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

