

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002478.D
 Signal(s) : VWD1A.CH
 Acq On : 30-Mar-2012, 11:09
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:11:33 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Mar 30 12:16:16 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.387	3860233	1013.542 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 337.85%#
Target Compounds			
2) T HMX	0.926f	4056136	925.127 ug/L
3) T RDX	1.782f	5553488	1018.086 ug/L
4) T 1,3,5-Trinitrobenzene	2.775f	5946689	467.156 ug/L
5) T Tetryl	6.325f	8646751	955.478 ug/L
6) T 2,4,6-Trinitrotoluene	6.690f	5696767	478.906 ug/L
7) T 2-Amino-4,6-dinitroto...	7.196f	5572691	496.858 ug/L
8) T 4-Amino-2,6-dinitroto...	7.533f	3596546	466.217 ug/L
9) T 2,4-Dinitrotoluene	8.380f	7844416	462.193 ug/L
10) T 2,6-Dinitrotoluene	8.771f	4182797	471.835 ug/L
11) T 1,3-Dinitrobenzene	3.690f	8414982	468.433 ug/L
12) T Nitrobenzene	4.960f	5272116	500.313 ug/L
13) T 2-Nitrotoluene	12.100f	6780648	973.594 ug/L
14) T 3-Nitrotoluene	14.176f	7234501	1011.875 ug/L
15) T 4-Nitrotoluene	12.877f	5677839	985.458 ug/L
16) T 3,5-Dinitroaniline	4.039f	16715874	995.232 ug/L
18) T PETN	19.132f	22320407	2254.090 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002478.D
Signal(s) : VWD1A.CH
Acq On : 30-Mar-2012, 11:09
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:11:33 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Mar 30 12:16:16 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

