

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002485.D Vial: 2
Acq On : 30-Mar-2012, 14:23 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	3.867 E3	-1.5	0#	-0.01
2 T	HMX	4.384	4.047 E3	7.7	0#	0.00
3 T	RDX	5.455	5.517 E3	-1.1	0#	-0.01
4 T	1,3,5-Trinitrobenzene	12.730	11.898 E3	6.5	0#	-0.02
5 T	Tetryl	9.050	8.645 E3	4.5	0#	-0.04
6 T	2,4,6-Trinitrotoluene	11.895	11.402 E3	4.1	0#	-0.04
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.147 E3	0.6	0#	-0.04
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.185 E3	6.9	0#	-0.05
9 T	2,4-Dinitrotoluene	16.972	15.691 E3	7.5	0#	-0.05
10 T	2,6-Dinitrotoluene	8.865	8.447 E3	4.7	0#	-0.06
11 T	1,3-Dinitrobenzene	17.964	16.813 E3	6.4	0#	-0.02
12 T	Nitrobenzene	10.538	10.508 E3	0.3	0#	-0.03
13 T	2-Nitrotoluene	6.965	6.704 E3	3.7	0#	-0.08
14 T	3-Nitrotoluene	7.150	7.135 E3	0.2	0#	-0.09
15 T	4-Nitrotoluene	5.762	5.616 E3	2.5	0#	-0.09
16 T	3,5-Dinitroaniline	16.796	16.658 E3	0.8	0#	-0.02
18 T	PETN	9.902	8.924 E3	9.9	0#	-0.13

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002485.D Vial: 2
Acq On : 30-Mar-2012, 14:23 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.43#