

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002486.D Vial: 3
Acq On : 30-Mar-2012, 14:51 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	56.671	0.8	0#	-0.19

Data File : H:\VOL1\HPLC\HPLC L\120329\HL002486.D
 Acq On : 30-Mar-2012, 14:51
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	0.000 E3	100.0#	0#	-1.40#
2 T	HMX	4.384	0.000 E3	100.0#	0#	-0.93#
3 T	RDX	5.455	0.000 E3	100.0#	0#	-1.79#
4 T	1,3,5-Trinitrobenzene	12.730	0.000 E3	100.0#	0#	-2.79#
5 T	Tetryl	9.050	0.000 E3	100.0#	0#	-6.36#
6 T	2,4,6-Trinitrotoluene	11.895	0.000 E3	100.0#	0#	-6.73#
7 T	2-Amino-4,6-dinitrotoluene	11.216	0.000 E3	100.0#	0#	-7.24#
8 T	4-Amino-2,6-dinitrotoluene	7.714	0.000 E3	100.0#	0#	-7.58#
9 T	2,4-Dinitrotoluene	16.972	0.000 E3	100.0#	0#	-8.44#
10 T	2,6-Dinitrotoluene	8.865	0.000 E3	100.0#	0#	-8.83#
11 T	1,3-Dinitrobenzene	17.964	0.000 E3	100.0#	0#	-3.71#
12 T	Nitrobenzene	10.538	0.000 E3	100.0#	0#	-4.99#
13 T	2-Nitrotoluene	6.965	0.000 E3	100.0#	0#	-12.18#
14 T	3-Nitrotoluene	7.150	0.000 E3	100.0#	0#	-14.27#
15 T	4-Nitrotoluene	5.762	0.000 E3	100.0#	0#	-12.96#
16 T	3,5-Dinitroaniline	16.796	0.000 E3	100.0#	0#	-4.06#
18 T	PETN	9.902	0.000 E3	100.0#	0#	-19.27#