



Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
Data File : HL002436.D
Signal(s) : VWD1A.CH
Acq On : 29-Mar-2012, 14:09
Operator : HLM
Sample : 8330-ICV
Misc :
ALS Vial : 78 Sample Multiplier: 1

Instrument :
HPLC_L
ClientSampleId :
8330-ICV

Integration File: events.e
Quant Time: Apr 07 01:10:00 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Thu Mar 29 15:16:02 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 0.000 min
Exp R.T.: 1.387 min
Response: 0
Conc: N.D.

Instrument :
HPLC_L
ClientSampleId :
8330-ICV




#2 HMX

R.T.: 0.928 min
Delta R.T.: 0.001 min
Response: 4259375
Conc: 971.48 ug/L




#3 RDX

R.T.: 1.783 min
Delta R.T.: 0.000 min
Response: 5735648
Conc: 1051.48 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 2.777 min
Delta R.T.: 0.002 min
Response: 12823846
Conc: 1007.41 ug/L



#5 Tetryl


R.T.: 6.317 min
Delta R.T.: 0.003 min
Response: 9710986
Conc: 1073.08 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-ICV




#6 2,4,6-Trinitrotoluene

R.T.: 6.685 min
Delta R.T.: 0.003 min
Response: 12637976
Conc: 1062.43 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.186 min
Delta R.T.: 0.001 min
Response: 11467716
Conc: 1022.46 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 7.525 min
Delta R.T.: 0.004 min
Response: 7877786
Conc: 1021.19 ug/L



#9 2,4-Dinitrotoluene


R.T.: 8.372 min
Delta R.T.: 0.002 min
Response: 15929327
Conc: 938.56 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-ICV




#10 2,6-Dinitrotoluene

R.T.: 8.761 min
Delta R.T.: 0.004 min
Response: 8787321
Conc: 991.24 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.690 min
Delta R.T.: 0.002 min
Response: 17604714
Conc: 979.99 ug/L



#12 Nitrobenzene


R.T.: 4.959 min
Delta R.T.: 0.002 min
Response: 10422158
Conc: 989.04 ug/L



#13 2-Nitrotoluene


R.T.: 12.084 min
 Delta R.T.: 0.000 min
 Response: 6852255
 Conc: 983.88 ug/L

Instrument :
 HPLC_L
 ClientSampleId :
 8330-ICV




#14 3-Nitrotoluene

R.T.: 14.156 min
 Delta R.T.: 0.000 min
 Response: 7297645
 Conc: 1020.71 ug/L




#15 4-Nitrotoluene

R.T.: 12.858 min
 Delta R.T.: 0.000 min
 Response: 5836755
 Conc: 1013.04 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.034 min
 Delta R.T.: -0.001 min
 Response: 14411685
 Conc: 858.04 ug/L



#18 PETN

R.T.: 19.106 min
Delta R.T.: 0.000 min
Response: 9372121
Conc: 946.47 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-ICV

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032912\
 Data File : HL002436.D
 Signal(s) : VWD1A.CH
 Acq On : 29-Mar-2012, 14:09
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 HPLC_L
 ClientSampleId :
 8330-ICV

Integration File: events.e
 Quant Time: Apr 07 01:10:00 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Thu Mar 29 15:16:02 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
Target Compounds				
2) T HMX	0.928	4259375	971.481	ug/L
3) T RDX	1.783	5735648	1051.481	ug/L
4) T 1,3,5-Trinitrobenzene	2.777	12823846	1007.406	ug/L
5) T Tetryl	6.317	9710986	1073.077	ug/L
6) T 2,4,6-Trinitrotoluene	6.685	12637976	1062.427	ug/L
7) T 2-Amino-4,6-dinitroto...	7.186	11467716	1022.455	ug/L
8) T 4-Amino-2,6-dinitroto...	7.525	7877786	1021.189	ug/L
9) T 2,4-Dinitrotoluene	8.372	15929327	938.556	ug/L
10) T 2,6-Dinitrotoluene	8.761	8787321	991.241	ug/L
11) T 1,3-Dinitrobenzene	3.690	17604714	979.993	ug/L
12) T Nitrobenzene	4.959	10422158	989.042	ug/L
13) T 2-Nitrotoluene	12.084	6852255	983.875	ug/L
14) T 3-Nitrotoluene	14.156	7297645	1020.707	ug/L
15) T 4-Nitrotoluene	12.858	5836755	1013.040	ug/L
16) T 3,5-Dinitroaniline	4.034	14411685	858.045	ug/L
18) T PETN	19.106	9372121	946.470	ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.