

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002504.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Apr-2012, 16:27
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:14:25 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.418	3778652	992.122 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 330.71%#
Target Compounds			
2) T HMX	0.941	4084241	931.537 ug/L
3) T RDX	1.821	5512968	1010.658 ug/L
4) T 1,3,5-Trinitrobenzene	2.849	5948934	467.332 ug/L
5) T Tetryl	6.589	8591557	949.379 ug/L
6) T 2,4,6-Trinitrotoluene	6.943	5761036	484.309 ug/L
7) T 2-Amino-4,6-dinitroto...	7.466	5524039	492.520 ug/L
8) T 4-Amino-2,6-dinitroto...	7.838	3635363	471.248 ug/L
9) T 2,4-Dinitrotoluene	8.702	7799789	459.564 ug/L
10) T 2,6-Dinitrotoluene	9.118	4179458	471.458 ug/L
11) T 1,3-Dinitrobenzene	3.794	8394713	467.305 ug/L
12) T Nitrobenzene	5.111	5171290	490.745 ug/L
13) T 2-Nitrotoluene	12.593	6651958	955.116 ug/L
14) T 3-Nitrotoluene	14.754	7066534	988.382 ug/L
15) T 4-Nitrotoluene	13.405	5534406	960.564 ug/L
16) T 3,5-Dinitroaniline	4.156	16444172	979.055 ug/L
18) T PETN	19.988	22283012	2250.314 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002504.D
Signal(s) : VWD1A.CH
Acq On : 02-Apr-2012, 16:27
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:14:25 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

