

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002509.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Apr-2012, 18:42
 Operator : HLM
 Sample : D1922-09MS1
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:14:49 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.419	678563	178.163 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 59.39%
Target Compounds			
2) T HMX	0.944	564110	128.663 ug/L
3) T RDX	1.823	569287	104.364 ug/L
4) T 1,3,5-Trinitrobenzene	2.854	1847873	145.164 ug/L
5) T Tetryl	6.599	1215750	134.342 ug/L
6) T 2,4,6-Trinitrotoluene	6.949	1897542	159.519 ug/L
7) T 2-Amino-4,6-dinitroto...	7.479	1654582	147.522 ug/L
8) T 4-Amino-2,6-dinitroto...	7.849	1174292	152.222 ug/L
9) T 2,4-Dinitrotoluene	8.713	2370228	139.654 ug/L
10) T 2,6-Dinitrotoluene	9.133	1294030	145.971 ug/L
11) T 1,3-Dinitrobenzene	3.800	2616108	145.630 ug/L
12) T Nitrobenzene	5.117	1530609	145.252 ug/L
13) T 2-Nitrotoluene	12.606	1034976	148.606 ug/L
14) T 3-Nitrotoluene	14.767	1093797	152.987 ug/L
15) T 4-Nitrotoluene	13.413	872727	151.472 ug/L
16) T 3,5-Dinitroaniline	4.158	2060021	122.650 ug/L
18) T PETN	20.021	1389535	140.326 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002509.D
Signal(s) : VWD1A.CH
Acq On : 02-Apr-2012, 18:42
Operator : HLM
Sample : D1922-09MS1
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:14:49 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

