

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002511.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Apr-2012, 19:36
 Operator : HLM
 Sample : D1922-10MSD1
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:14:59 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.419	616208	161.791 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 53.93%
Target Compounds			
2) T HMX	0.944	511693	116.707 ug/L
3) T RDX	1.823	534536	97.993 ug/L
4) T 1,3,5-Trinitrobenzene	2.854	1691776	132.901 ug/L
5) T Tetryl	6.600	1171680	129.472 ug/L
6) T 2,4,6-Trinitrotoluene	6.952	1718810	144.494 ug/L
7) T 2-Amino-4,6-dinitroto...	7.480	1513785	134.968 ug/L
8) T 4-Amino-2,6-dinitroto...	7.856	1090931	141.416 ug/L
9) T 2,4-Dinitrotoluene	8.714	2154189	126.925 ug/L
10) T 2,6-Dinitrotoluene	9.132	1200871	135.463 ug/L
11) T 1,3-Dinitrobenzene	3.800	2395986	133.376 ug/L
12) T Nitrobenzene	5.119	1417455	134.514 ug/L
13) T 2-Nitrotoluene	12.612	914365	131.288 ug/L
14) T 3-Nitrotoluene	14.770	1025367	143.416 ug/L
15) T 4-Nitrotoluene	13.431	802523	139.288 ug/L
16) T 3,5-Dinitroaniline	4.160	1883686	112.151 ug/L
18) T PETN	19.994	1232156	124.433 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002511.D
Signal(s) : VWD1A.CH
Acq On : 02-Apr-2012, 19:36
Operator : HLM
Sample : D1922-10MSD1
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:14:59 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

