

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002517.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Apr-2012, 22:18
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:15:25 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.419	3809657	1000.263 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 333.42%#
Target Compounds			
2) T HMX	0.942	4077018	929.889 ug/L
3) T RDX	1.822	5516057	1011.224 ug/L
4) T 1,3,5-Trinitrobenzene	2.850	5964298	468.539 ug/L
5) T Tetryl	6.593	8550667	944.861 ug/L
6) T 2,4,6-Trinitrotoluene	6.943	5831119	490.200 ug/L
7) T 2-Amino-4,6-dinitroto...	7.472	5593669	498.729 ug/L
8) T 4-Amino-2,6-dinitroto...	7.842	3701962	479.881 ug/L
9) T 2,4-Dinitrotoluene	8.704	7882626	464.444 ug/L
10) T 2,6-Dinitrotoluene	9.121	4246936	479.070 ug/L
11) T 1,3-Dinitrobenzene	3.795	8426304	469.063 ug/L
12) T Nitrobenzene	5.111	5224231	495.769 ug/L
13) T 2-Nitrotoluene	12.593	6653768	955.376 ug/L
14) T 3-Nitrotoluene	14.754	7046413	985.568 ug/L
15) T 4-Nitrotoluene	13.403	5570265	966.787 ug/L
16) T 3,5-Dinitroaniline	4.159	16594310	987.994 ug/L
18) T PETN	19.990	22597753	2282.099 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002517.D
Signal(s) : VWD1A.CH
Acq On : 02-Apr-2012, 22:18
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:15:25 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

