

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002530.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 04:08
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:16:19 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.418	3791651	995.535 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 331.84%#
Target Compounds			
2) T HMX	0.942	4097099	934.469 ug/L
3) T RDX	1.821	5540348	1015.677 ug/L
4) T 1,3,5-Trinitrobenzene	2.847	5978837	469.681 ug/L
5) T Tetryl	6.587	8516651	941.102 ug/L
6) T 2,4,6-Trinitrotoluene	6.935	5797779	487.397 ug/L
7) T 2-Amino-4,6-dinitroto...	7.463	5551536	494.972 ug/L
8) T 4-Amino-2,6-dinitroto...	7.835	3646632	472.709 ug/L
9) T 2,4-Dinitrotoluene	8.692	7846466	462.314 ug/L
10) T 2,6-Dinitrotoluene	9.109	4228754	477.019 ug/L
11) T 1,3-Dinitrobenzene	3.790	8451477	470.464 ug/L
12) T Nitrobenzene	5.103	5225500	495.889 ug/L
13) T 2-Nitrotoluene	12.579	6663605	956.788 ug/L
14) T 3-Nitrotoluene	14.738	7194147	1006.231 ug/L
15) T 4-Nitrotoluene	13.386	5595350	971.141 ug/L
16) T 3,5-Dinitroaniline	4.155	16764169	998.107 ug/L
18) T PETN	19.971	22680762	2290.482 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002530.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 04:08
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:16:19 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

