

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002536.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 06:50
 Operator : HLM
 Sample : D1923-17MS1
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:16:45 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.416	696004	182.743 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 60.91%
Target Compounds			
2) T HMX	0.941	581496	132.628 ug/L
3) T RDX	1.819	565538	103.677 ug/L
4) T 1,3,5-Trinitrobenzene	2.847	1822442	143.166 ug/L
5) T Tetryl	6.592	1196683	132.235 ug/L
6) T 2,4,6-Trinitrotoluene	6.939	1901802	159.877 ug/L
7) T 2-Amino-4,6-dinitroto...	7.468	1645240	146.689 ug/L
8) T 4-Amino-2,6-dinitroto...	7.846	1165273	151.053 ug/L
9) T 2,4-Dinitrotoluene	8.700	2342876	138.042 ug/L
10) T 2,6-Dinitrotoluene	9.118	1287265	145.208 ug/L
11) T 1,3-Dinitrobenzene	3.793	2584586	143.875 ug/L
12) T Nitrobenzene	5.108	1547747	146.878 ug/L
13) T 2-Nitrotoluene	12.580	1010958	145.157 ug/L
14) T 3-Nitrotoluene	14.757	1108669	155.067 ug/L
15) T 4-Nitrotoluene	13.397	859267	149.136 ug/L
16) T 3,5-Dinitroaniline	4.153	2069441	123.211 ug/L
18) T PETN	19.965	1353326	136.670 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002536.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 06:50
Operator : HLM
Sample : D1923-17MS1
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:16:45 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

