

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
 Data File : HL002541.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 09:05
 Operator : HLM
 Sample : PB61981BSD1
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:17:09 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Apr 02 17:23:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.413	1136067	298.286 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 99.43%
Target Compounds			
2) T HMX	0.939	1010482	230.472 ug/L
3) T RDX	1.817	1311198	240.374 ug/L
4) T 1,3,5-Trinitrobenzene	2.843	3030221	238.046 ug/L
5) T Tetryl	6.584	1680778	185.728 ug/L
6) T 2,4,6-Trinitrotoluene	6.929	3129341	263.072 ug/L
7) T 2-Amino-4,6-dinitroto...	7.463	2684341	239.334 ug/L
8) T 4-Amino-2,6-dinitroto...	7.837	1950668	252.863 ug/L
9) T 2,4-Dinitrotoluene	8.689	3907980	230.258 ug/L
10) T 2,6-Dinitrotoluene	9.107	2123872	239.580 ug/L
11) T 1,3-Dinitrobenzene	3.787	4204213	234.034 ug/L
12) T Nitrobenzene	5.100	2522068	239.339 ug/L
13) T 2-Nitrotoluene	12.569	1624037	233.186 ug/L
14) T 3-Nitrotoluene	14.728	1708961	239.029 ug/L
15) T 4-Nitrotoluene	13.372	1406681	244.147 ug/L
16) T 3,5-Dinitroaniline	4.148	3371712	200.745 ug/L
18) T PETN	19.963	2189207	221.083 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040212\
Data File : HL002541.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 09:05
Operator : HLM
Sample : PB61981BSD1
Misc :
ALS Vial : 40 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:17:09 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Apr 02 17:23:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

