

Data File : H:\VOL1\HPLC\HPLC L\120402\HL002543.D Vial: 2
 Acq On : 03-Apr-2012, 09:59 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	3.806 E3	0.1	0#	0.00
2 T	HMX	4.384	4.092 E3	6.7	0#	0.00
3 T	RDX	5.455	5.530 E3	-1.4	0#	0.00
4 T	1,3,5-Trinitrobenzene	12.730	11.919 E3	6.4	0#	0.00
5 T	Tetryl	9.050	8.550 E3	5.5	0#	0.00
6 T	2,4,6-Trinitrotoluene	11.895	11.685 E3	1.8	0#	-0.01
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.137 E3	0.7	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.439 E3	3.6	0#	0.00
9 T	2,4-Dinitrotoluene	16.972	15.795 E3	6.9	0#	-0.02
10 T	2,6-Dinitrotoluene	8.865	8.788 E3	0.9	0#	-0.02
11 T	1,3-Dinitrobenzene	17.964	16.871 E3	6.1	0#	0.00
12 T	Nitrobenzene	10.538	10.405 E3	1.3	0#	-0.01
13 T	2-Nitrotoluene	6.965	7.115 E3	-2.2	0#	-0.03
14 T	3-Nitrotoluene	7.150	8.179 E3	-14.4	0#	-0.03
15 T	4-Nitrotoluene	5.762	6.204 E3	-7.7	0#	-0.03
16 T	3,5-Dinitroaniline	16.796	16.707 E3	0.5	0#	0.00
18 T	PETN	9.902	9.049 E3	8.6	0#	-0.03

Data File : H:\VOL1\HPLC\HPLC L\120402\HL002543.D Vial: 2
Acq On : 03-Apr-2012, 09:59 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.43#