

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002546.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 11:46
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:49:19 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.412	3825134	1004.326 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 334.78%#
Target Compounds			
2) T HMX	0.939	4074256	929.259 ug/L
3) T RDX	1.815	5514517	1010.942 ug/L
4) T 1,3,5-Trinitrobenzene	2.836	5968756	468.889 ug/L
5) T Tetryl	6.551	8697467	961.082 ug/L
6) T 2,4,6-Trinitrotoluene	6.899	5743486	482.833 ug/L
7) T 2-Amino-4,6-dinitroto...	7.427	5513633	491.593 ug/L
8) T 4-Amino-2,6-dinitroto...	7.793	3659720	474.406 ug/L
9) T 2,4-Dinitrotoluene	8.646	7823897	460.984 ug/L
10) T 2,6-Dinitrotoluene	9.058	4224418	476.530 ug/L
11) T 1,3-Dinitrobenzene	3.775	8443601	470.026 ug/L
12) T Nitrobenzene	5.083	5255499	498.736 ug/L
13) T 2-Nitrotoluene	12.506	6699231	961.903 ug/L
14) T 3-Nitrotoluene	14.653	7143049	999.084 ug/L
15) T 4-Nitrotoluene	13.308	5574500	967.522 ug/L
16) T 3,5-Dinitroaniline	4.138	16708509	994.794 ug/L
18) T PETN	19.853	22425072	2264.660 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002546.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 11:46
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:49:19 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

