

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002556.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 16:16
 Operator : HLM
 Sample : D1945-01MSD1
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:49:59 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.410	623887	163.808 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	54.60%
Target Compounds			
2) T HMX	0.936	558224	127.320 ug/L
3) T RDX	1.811	705791	129.388 ug/L
4) T 1,3,5-Trinitrobenzene	2.832	1734227	136.236 ug/L
5) T Tetryl	6.546	801870	88.608 ug/L
6) T 2,4,6-Trinitrotoluene	6.893	1735273	145.878 ug/L
7) T 2-Amino-4,6-dinitroto...	7.425	1567121	139.724 ug/L
8) T 4-Amino-2,6-dinitroto...	7.792	1065270	138.090 ug/L
9) T 2,4-Dinitrotoluene	8.643	2186981	128.857 ug/L
10) T 2,6-Dinitrotoluene	9.054	1179901	133.097 ug/L
11) T 1,3-Dinitrobenzene	3.772	2488507	138.527 ug/L
12) T Nitrobenzene	5.079	1425441	135.271 ug/L
13) T 2-Nitrotoluene	12.493	959213	137.728 ug/L
14) T 3-Nitrotoluene	14.646	1078004	150.778 ug/L
15) T 4-Nitrotoluene	13.314	869480	150.909 ug/L
16) T 3,5-Dinitroaniline	4.132	1969315	117.249 ug/L
18) T PETN	19.838	1122256	113.334 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002556.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 16:16
Operator : HLM
Sample : D1945-01MSD1
Misc :
ALS Vial : 49 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:49:59 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

