

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002572.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Apr-2012, 23:29
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:51:07 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.406	3823766	1003.967 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 334.66%#
Target Compounds			
2) T HMX	0.934	4062925	926.675 ug/L
3) T RDX	1.807	5554264	1018.229 ug/L
4) T 1,3,5-Trinitrobenzene	2.829	5936440	466.351 ug/L
5) T Tetryl	6.531	8570983	947.105 ug/L
6) T 2,4,6-Trinitrotoluene	6.879	5734664	482.091 ug/L
7) T 2-Amino-4,6-dinitroto...	7.399	5524222	492.537 ug/L
8) T 4-Amino-2,6-dinitroto...	7.764	3640038	471.854 ug/L
9) T 2,4-Dinitrotoluene	8.616	7815942	460.515 ug/L
10) T 2,6-Dinitrotoluene	9.027	4252666	479.716 ug/L
11) T 1,3-Dinitrobenzene	3.761	8383312	466.670 ug/L
12) T Nitrobenzene	5.062	5188528	492.381 ug/L
13) T 2-Nitrotoluene	12.454	6696592	961.525 ug/L m
14) T 3-Nitrotoluene	14.598	7095644	992.454 ug/L m
15) T 4-Nitrotoluene	13.252	5561707	965.302 ug/L m
16) T 3,5-Dinitroaniline	4.123	16598302	988.232 ug/L
18) T PETN	19.793	22255286	2247.514 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002572.D
Signal(s) : VWD1A.CH
Acq On : 03-Apr-2012, 23:29
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:51:07 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

