

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002585.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 05:19
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:52:01 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.409	3835498	1007.048 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 335.68%#
Target Compounds			
2) T HMX	0.937	4088282	932.458 ug/L
3) T RDX	1.810	5562925	1019.816 ug/L
4) T 1,3,5-Trinitrobenzene	2.835	5953184	467.666 ug/L
5) T Tetryl	6.538	8560978	946.000 ug/L
6) T 2,4,6-Trinitrotoluene	6.886	5756739	483.947 ug/L
7) T 2-Amino-4,6-dinitroto...	7.407	5509756	491.247 ug/L
8) T 4-Amino-2,6-dinitroto...	7.771	3635425	471.256 ug/L
9) T 2,4-Dinitrotoluene	8.623	7804841	459.861 ug/L
10) T 2,6-Dinitrotoluene	9.032	4193571	473.050 ug/L
11) T 1,3-Dinitrobenzene	3.765	8391687	467.136 ug/L
12) T Nitrobenzene	5.065	5183450	491.899 ug/L
13) T 2-Nitrotoluene	12.462	6742110	968.060 ug/L m
14) T 3-Nitrotoluene	14.602	7055003	986.769 ug/L m
15) T 4-Nitrotoluene	13.263	5557274	964.533 ug/L m
16) T 3,5-Dinitroaniline	4.127	16606726	988.734 ug/L
18) T PETN	19.802	22239409	2245.910 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002585.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 05:19
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:52:01 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

