

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002591.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 08:01
 Operator : HLM
 Sample : PB61993BS1
 Misc :
 ALS Vial : 75 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:52:27 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.406	672939	176.687 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	58.90%
Target Compounds			
2) T HMX	0.936	573764	130.865 ug/L
3) T RDX	1.808	736898	135.091 ug/L
4) T 1,3,5-Trinitrobenzene	2.834	1715809	134.789 ug/L
5) T Tetryl	6.539	1134500	125.364 ug/L
6) T 2,4,6-Trinitrotoluene	6.883	1746418	146.815 ug/L
7) T 2-Amino-4,6-dinitroto...	7.407	1528859	136.312 ug/L
8) T 4-Amino-2,6-dinitroto...	7.770	1113334	144.320 ug/L
9) T 2,4-Dinitrotoluene	8.625	2171984	127.973 ug/L
10) T 2,6-Dinitrotoluene	9.032	1214923	137.048 ug/L
11) T 1,3-Dinitrobenzene	3.765	2456294	136.733 ug/L
12) T Nitrobenzene	5.064	1440988	136.747 ug/L
13) T 2-Nitrotoluene	12.463	942083	135.268 ug/L
14) T 3-Nitrotoluene	14.600	984518	137.703 ug/L
15) T 4-Nitrotoluene	13.259	798889	138.657 ug/L
16) T 3,5-Dinitroaniline	4.124	1957229	116.530 ug/L
18) T PETN	19.795	1204175	121.607 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002591.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 08:01
Operator : HLM
Sample : PB61993BS1
Misc :
ALS Vial : 75 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:52:27 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

