

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002596.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 10:16
 Operator : HLM
 Sample : D1953-03MSD1
 Misc :
 ALS Vial : 80 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:52:51 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.408	1113869	292.457 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	97.49%
Target Compounds			
2) T HMX	0.938	492222	112.266 ug/L
3) T RDX	1.811	447536	82.044 ug/L
4) T 1,3,5-Trinitrobenzene	2.838	1629911	128.041 ug/L
5) T Tetryl	6.541	953396	105.352 ug/L
6) T 2,4,6-Trinitrotoluene	6.888	1647931	138.535 ug/L
7) T 2-Amino-4,6-dinitroto...	7.413	1424547	127.012 ug/L
8) T 4-Amino-2,6-dinitroto...	7.773	1017758	131.931 ug/L
9) T 2,4-Dinitrotoluene	8.626	2048859	120.719 ug/L
10) T 2,6-Dinitrotoluene	9.037	1138261	128.400 ug/L
11) T 1,3-Dinitrobenzene	3.769	2289271	127.436 ug/L
12) T Nitrobenzene	5.068	1341390	127.295 ug/L
13) T 2-Nitrotoluene	12.465	901146	129.390 ug/L
14) T 3-Nitrotoluene	14.606	959849	134.252 ug/L
15) T 4-Nitrotoluene	13.257	720323	125.021 ug/L
16) T 3,5-Dinitroaniline	4.127	1814099	108.008 ug/L
18) T PETN	19.810	1100780	111.165 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002596.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 10:16
Operator : HLM
Sample : D1953-03MSD1
Misc :
ALS Vial : 80 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:52:51 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

