

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002598.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 11:10
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:53:01 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.408	3833927	1006.635 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 335.54%#
Target Compounds			
2) T HMX	0.937	4086246	931.994 ug/L
3) T RDX	1.809	5586474	1024.133 ug/L
4) T 1,3,5-Trinitrobenzene	2.834	5979523	469.735 ug/L
5) T Tetryl	6.536	8611085	951.537 ug/L
6) T 2,4,6-Trinitrotoluene	6.883	5783420	486.190 ug/L
7) T 2-Amino-4,6-dinitroto...	7.403	5540895	494.023 ug/L
8) T 4-Amino-2,6-dinitroto...	7.770	3676601	476.594 ug/L
9) T 2,4-Dinitrotoluene	8.619	7855001	462.817 ug/L
10) T 2,6-Dinitrotoluene	9.027	4227179	476.841 ug/L
11) T 1,3-Dinitrobenzene	3.763	8430352	469.288 ug/L
12) T Nitrobenzene	5.062	5206542	494.090 ug/L
13) T 2-Nitrotoluene	12.452	6709496	963.377 ug/L m
14) T 3-Nitrotoluene	14.590	7083309	990.729 ug/L m
15) T 4-Nitrotoluene	13.250	5526494	959.190 ug/L m
16) T 3,5-Dinitroaniline	4.125	16649148	991.259 ug/L
18) T PETN	19.796	22395992	2261.723 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002598.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 11:10
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:53:01 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

