

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002608.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 15:40
 Operator : HLM
 Sample : D1953-10MSD1
 Misc :
 ALS Vial : 89 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:53:45 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.406	629491	165.279 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 55.09%
Target Compounds			
2) T HMX	0.936	554624	126.499 ug/L
3) T RDX	1.809	515946	94.585 ug/L
4) T 1,3,5-Trinitrobenzene	2.836	1692866	132.987 ug/L
5) T Tetryl	6.547	1066897	117.894 ug/L
6) T 2,4,6-Trinitrotoluene	6.888	1747855	146.936 ug/L
7) T 2-Amino-4,6-dinitroto...	7.415	1504839	134.171 ug/L
8) T 4-Amino-2,6-dinitroto...	7.774	1063263	137.830 ug/L
9) T 2,4-Dinitrotoluene	8.630	2173723	128.076 ug/L
10) T 2,6-Dinitrotoluene	9.037	1176698	132.736 ug/L
11) T 1,3-Dinitrobenzene	3.766	2417812	134.591 ug/L
12) T Nitrobenzene	5.067	1430055	135.709 ug/L
13) T 2-Nitrotoluene	12.475	961822	138.102 ug/L
14) T 3-Nitrotoluene	14.617	1080700	151.155 ug/L
15) T 4-Nitrotoluene	13.277	866774	150.439 ug/L
16) T 3,5-Dinitroaniline	4.125	1919731	114.297 ug/L
18) T PETN	19.852	1218908	123.095 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002608.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 15:40
Operator : HLM
Sample : D1953-10MSD1
Misc :
ALS Vial : 89 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:53:45 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

