

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
 Data File : HL002611.D
 Signal(s) : VWD1A.CH
 Acq On : 04-Apr-2012, 17:01
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:53:59 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Apr 03 15:27:42 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.408	3847170	1010.112 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 336.70%#
Target Compounds			
2) T HMX	0.937	4078185	930.156 ug/L
3) T RDX	1.810	5593377	1025.399 ug/L
4) T 1,3,5-Trinitrobenzene	2.835	5982379	469.959 ug/L
5) T Tetryl	6.543	8577048	947.776 ug/L
6) T 2,4,6-Trinitrotoluene	6.887	5826133	489.781 ug/L
7) T 2-Amino-4,6-dinitroto...	7.410	5594504	498.803 ug/L
8) T 4-Amino-2,6-dinitroto...	7.773	3668508	475.545 ug/L
9) T 2,4-Dinitrotoluene	8.625	7871289	463.776 ug/L
10) T 2,6-Dinitrotoluene	9.034	4228236	476.960 ug/L
11) T 1,3-Dinitrobenzene	3.765	8454428	470.629 ug/L
12) T Nitrobenzene	5.065	5197073	493.192 ug/L
13) T 2-Nitrotoluene	12.462	6687709	960.249 ug/L m
14) T 3-Nitrotoluene	14.602	7064590	988.110 ug/L m
15) T 4-Nitrotoluene	13.265	5600454	972.027 ug/L m
16) T 3,5-Dinitroaniline	4.128	16722165	995.607 ug/L
18) T PETN	19.823	22703766	2292.805 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040312\
Data File : HL002611.D
Signal(s) : VWD1A.CH
Acq On : 04-Apr-2012, 17:01
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:53:59 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Apr 03 15:27:42 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

