

# Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120403\HL002560.D Vial: 3  
 Acq On : 03-Apr-2012, 18:04 Operator: HLM  
 Sample : 8330NG-CCV Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Thu Mar 29 15:16:02 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

| Compound           | AvqRF  | CCRF   | %Dev | Area% | Dev(min) |
|--------------------|--------|--------|------|-------|----------|
| 17 T Nitroglycerin | 57.100 | 57.974 | -1.5 | 0#    | 0.01     |

Data File : H:\VOL1\HPLC\HPLC L\120403\HL002560.D  
 Acq On : 03-Apr-2012, 18:04  
 Sample : 8330NG-CCV  
 Misc :  
 IntFile : events.e

Vial: 3  
 Operator: HLM  
 Inst : G1314A  
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Thu Mar 29 15:16:02 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                   | AvqRF  | CCRF     | %Dev   | Area% | Dev(min) |
|------|----------------------------|--------|----------|--------|-------|----------|
| 1 S  | 4-Nitroaniline             | 3.809  | 0.000 E3 | 100.0# | 0#    | -1.41#   |
| 2 T  | HMX                        | 4.384  | 0.000 E3 | 100.0# | 0#    | -0.94#   |
| 3 T  | RDX                        | 5.455  | 0.000 E3 | 100.0# | 0#    | -1.81#   |
| 4 T  | 1,3,5-Trinitrobenzene      | 12.730 | 0.000 E3 | 100.0# | 0#    | -2.84#   |
| 5 T  | Tetryl                     | 9.050  | 0.000 E3 | 100.0# | 0#    | -6.55#   |
| 6 T  | 2,4,6-Trinitrotoluene      | 11.895 | 0.000 E3 | 100.0# | 0#    | -6.90#   |
| 7 T  | 2-Amino-4,6-dinitrotoluene | 11.216 | 0.000 E3 | 100.0# | 0#    | -7.43#   |
| 8 T  | 4-Amino-2,6-dinitrotoluene | 7.714  | 0.000 E3 | 100.0# | 0#    | -7.79#   |
| 9 T  | 2,4-Dinitrotoluene         | 16.972 | 0.000 E3 | 100.0# | 0#    | -8.65#   |
| 10 T | 2,6-Dinitrotoluene         | 8.865  | 0.000 E3 | 100.0# | 0#    | -9.06#   |
| 11 T | 1,3-Dinitrobenzene         | 17.964 | 0.000 E3 | 100.0# | 0#    | -3.78#   |
| 12 T | Nitrobenzene               | 10.538 | 0.000 E3 | 100.0# | 0#    | -5.08#   |
| 13 T | 2-Nitrotoluene             | 6.965  | 0.000 E3 | 100.0# | 0#    | -12.51#  |
| 14 T | 3-Nitrotoluene             | 7.150  | 0.000 E3 | 100.0# | 0#    | -14.65#  |
| 15 T | 4-Nitrotoluene             | 5.762  | 0.000 E3 | 100.0# | 0#    | -13.31#  |
| 16 T | 3,5-Dinitroaniline         | 16.796 | 0.000 E3 | 100.0# | 0#    | -4.14#   |
| 18 T | PETN                       | 9.902  | 0.000 E3 | 100.0# | 0#    | -19.85#  |