

Data File : H:\VOL1\HPLC\HPLC L\120403\HL002598.D Vial: 2
 Acq On : 04-Apr-2012, 11:10 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	3.834 E3	-0.7	99	0.00
2 T	HMX	4.384	4.086 E3	6.8	101	0.00
3 T	RDX	5.455	5.586 E3	-2.4	101	0.00
4 T	1,3,5-Trinitrobenzene	12.730	11.959 E3	6.1	101	0.00
5 T	Tetryl	9.050	8.611 E3	4.9	99	-0.01
6 T	2,4,6-Trinitrotoluene	11.895	11.567 E3	2.8	102	-0.02
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.082 E3	1.2	99	-0.02
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.353 E3	4.7	102	-0.02
9 T	2,4-Dinitrotoluene	16.972	15.710 E3	7.4	100	-0.03
10 T	2,6-Dinitrotoluene	8.865	8.454 E3	4.6	101	-0.03
11 T	1,3-Dinitrobenzene	17.964	16.861 E3	6.1	100	-0.01
12 T	Nitrobenzene	10.538	10.413 E3	1.2	98	-0.02
13 T	2-Nitrotoluene	6.965	6.709 E3	3.7	101	-0.05
14 T	3-Nitrotoluene	7.150	7.083 E3	0.9	99	-0.06
15 T	4-Nitrotoluene	5.762	5.526 E3	4.1	99	-0.06
16 T	3,5-Dinitroaniline	16.796	16.649 E3	0.9	100	-0.01
18 T	PETN	9.902	8.958 E3	9.5	101	-0.06

Data File : H:\VOL1\HPLC\HPLC L\120403\HL002598.D Vial: 2
Acq On : 04-Apr-2012, 11:10 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.39#