

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002621.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Apr-2012, 11:57
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:58:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:04:27 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.466	4094917	1075.161 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 358.39%#
Target Compounds			
2) T HMX	0.979	4280043	976.195 ug/L
3) T RDX	1.888	5986369	1097.444 ug/L
4) T 1,3,5-Trinitrobenzene	2.945	6403531	503.044 ug/L
5) T Tetryl	6.738	9088768	1004.321 ug/L
6) T 2,4,6-Trinitrotoluene	7.110	6246121	525.088 ug/L
7) T 2-Amino-4,6-dinitroto...	7.653	5940260	529.630 ug/L
8) T 4-Amino-2,6-dinitroto...	8.015	3933032	509.835 ug/L
9) T 2,4-Dinitrotoluene	8.898	8398525	494.841 ug/L
10) T 2,6-Dinitrotoluene	9.312	4515492	509.364 ug/L
11) T 1,3-Dinitrobenzene	3.908	9073293	505.079 ug/L
12) T Nitrobenzene	5.255	5783754	548.867 ug/L
13) T 2-Nitrotoluene	12.840	7151717	1026.873 ug/L
14) T 3-Nitrotoluene	15.038	7615002	1065.095 ug/L
15) T 4-Nitrotoluene	13.659	5998802	1041.165 ug/L
16) T 3,5-Dinitroaniline	4.285	18075250	1076.167 ug/L
18) T PETN	20.391	24238120	2447.756 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002621.D
Signal(s) : VWD1A.CH
Acq On : 05-Apr-2012, 11:57
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:58:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:04:27 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

