

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002634.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Apr-2012, 17:48
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:59:31 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:04:27 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.469	4111034	1079.393 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 359.80%#
Target Compounds			
2) T HMX	0.982	4308942	982.787 ug/L
3) T RDX	1.891	6003098	1100.510 ug/L
4) T 1,3,5-Trinitrobenzene	2.948	6384501	501.549 ug/L
5) T Tetryl	6.736	9007713	995.365 ug/L
6) T 2,4,6-Trinitrotoluene	7.109	6255147	525.846 ug/L
7) T 2-Amino-4,6-dinitroto...	7.649	5938062	529.434 ug/L
8) T 4-Amino-2,6-dinitroto...	8.013	3909765	506.819 ug/L
9) T 2,4-Dinitrotoluene	8.899	8387431	494.187 ug/L
10) T 2,6-Dinitrotoluene	9.314	4498072	507.399 ug/L
11) T 1,3-Dinitrobenzene	3.912	9049758	503.769 ug/L
12) T Nitrobenzene	5.257	5656059	536.748 ug/L
13) T 2-Nitrotoluene	12.841	7190761	1032.479 ug/L
14) T 3-Nitrotoluene	15.036	7657151	1070.991 ug/L
15) T 4-Nitrotoluene	13.657	6068474	1053.258 ug/L
16) T 3,5-Dinitroaniline	4.287	18013837	1072.510 ug/L
18) T PETN	20.383	23413907	2364.520 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002634.D
Signal(s) : VWD1A.CH
Acq On : 05-Apr-2012, 17:48
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:59:31 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:04:27 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

