

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002637.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Apr-2012, 19:09
 Operator : HLM
 Sample : PB62022BS1
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 01:59:45 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:08:28 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.459	690036	181.176 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 60.39%
Target Compounds			
2) T HMX	0.974f	606944	138.432 ug/L
3) T RDX	1.880	787711	144.406 ug/L
4) T 1,3,5-Trinitrobenzene	2.934f	1861340	146.222 ug/L
5) T Tetryl	6.708	1228169	135.714 ug/L
6) T 2,4,6-Trinitrotoluene	7.079	1913461	160.857 ug/L
7) T 2-Amino-4,6-dinitroto...	7.619	1655264	147.582 ug/L
8) T 4-Amino-2,6-dinitroto...	7.984	1127121	146.108 ug/L
9) T 2,4-Dinitrotoluene	8.868	2314579	136.375 ug/L
10) T 2,6-Dinitrotoluene	9.284	1232612	139.043 ug/L
11) T 1,3-Dinitrobenzene	3.895	2667460	148.488 ug/L
12) T Nitrobenzene	5.235	1660265	157.556 ug/L
13) T 2-Nitrotoluene	12.818	1057952	151.905 ug/L
14) T 3-Nitrotoluene	15.021	1097086	153.447 ug/L
15) T 4-Nitrotoluene	13.639	859873	149.241 ug/L
16) T 3,5-Dinitroaniline	4.267	2154085	128.250 ug/L
18) T PETN	20.349	1336299	134.950 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002637.D
Signal(s) : VWD1A.CH
Acq On : 05-Apr-2012, 19:09
Operator : HLM
Sample : PB62022BS1
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 01:59:45 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:08:28 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

