

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002660.D
 Signal(s) : VWD1A.CH
 Acq On : 06-Apr-2012, 05:30
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 02:01:26 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:10:10 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.455	4137976	1086.466 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 362.16%#
Target Compounds			
2) T HMX	0.972	4343948	990.771 ug/L
3) T RDX	1.874	6028003	1105.076 ug/L
4) T 1,3,5-Trinitrobenzene	2.923	6446288	506.403 ug/L
5) T Tetryl	6.685	9017283	996.422 ug/L
6) T 2,4,6-Trinitrotoluene	7.053	6351533	533.949 ug/L
7) T 2-Amino-4,6-dinitroto...	7.595	5967784	532.084 ug/L
8) T 4-Amino-2,6-dinitroto...	7.955	3977493	515.598 ug/L
9) T 2,4-Dinitrotoluene	8.832	8446869	497.690 ug/L
10) T 2,6-Dinitrotoluene	9.243	4535796	511.654 ug/L
11) T 1,3-Dinitrobenzene	3.880	9127609	508.102 ug/L
12) T Nitrobenzene	5.214	5655819	536.726 ug/L
13) T 2-Nitrotoluene	12.749	7206335	1034.716 ug/L
14) T 3-Nitrotoluene	14.933	7768793	1086.606 ug/L
15) T 4-Nitrotoluene	13.564	6073932	1054.205 ug/L
16) T 3,5-Dinitroaniline	4.254	18196296	1083.374 ug/L
18) T PETN	20.243	24267053	2450.678 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002660.D
Signal(s) : VWD1A.CH
Acq On : 06-Apr-2012, 05:30
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 02:01:26 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:10:10 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

